

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cb: Coastal Beaches-----	70	Not rated		Not rated		Not rated	
DoA: Downer-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Unlimited	
DoB: Downer-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Unlimited	
DoC: Downer-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Unlimited	
DoC3: Downer-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Unlimited	
Fa: Fallsington-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Fb: Fallsington-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
FdA: Dragston-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.22	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Fallsington-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
FdB: Dragston-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.22	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fallsington-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
FgA: Dragston-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.22	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Fallsington-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
FgB: Dragston-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.22	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Fallsington-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
GcB: Galestown-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Unlimited	
GlB: Galestown-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Unlimited	
Lakeland-----	30	Very limited Seepage	1.00	Very limited Seepage	1.00	Unlimited	
GlC: Galestown-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Unlimited	
Lakeland-----	30	Very limited Seepage	1.00	Very limited Seepage	1.00	Unlimited	
Gp: Gravel And Borrow Pi	100	Not rated		Not rated		Not rated	
Jo: Johnston Loam-----	100	Not rated		Not rated		Not rated	
KfA: Keyport-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone	0.68	Unlimited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KnA: Keyport-----	95	Very limited Seepage	1.00	Piping Somewhat limited Depth to saturated zone Piping	0.02 0.68 0.02	Unlimited	
KnA: Klej-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.33	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
KnB: Klej-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.33	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
LaB: Lakeland-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Unlimited	
LgB: Lakeland-----	50	Very limited Seepage	1.00	Very limited Seepage	1.00	Unlimited	
Galestown-----	30	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Unlimited	
LmC: Lakeland-----	50	Very limited Seepage	1.00	Very limited Seepage	1.00	Unlimited	
Galestown-----	30	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Unlimited	
Lo: Leon-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.99	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
MfA: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Unlimited	
MfB2: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Unlimited	
MfC: Matapeake-----	100	Very limited		Somewhat limited		Unlimited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Seepage	0.12		
MkA: Matapeake-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MkB2: Matapeake-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MkC2: Matapeake-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MkC3: Matapeake-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MkD: Matapeake-----	100	Very limited Seepage Slope	1.00 0.01	Very limited Piping Seepage	1.00 0.12	Unlimited	
MpA: Mattapex-----	95	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to hard bedrock	1.00
				Depth to saturated zone	0.95	Cutbanks cave	1.00
				Seepage	0.10	Depth to water	0.02
MpB2: Mattapex-----	95	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to hard bedrock	1.00
				Depth to saturated zone	0.95	Cutbanks cave	1.00
				Seepage	0.10	Depth to water	0.02
MsA: Mattapex-----	95	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to hard bedrock	1.00
				Depth to saturated zone	0.95	Cutbanks cave	1.00
				Seepage	0.10	Depth to water	0.02
MsB2: Mattapex-----	95	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to hard bedrock	1.00
				Depth to saturated zone	0.95	Cutbanks cave	1.00
				Seepage	0.10	Depth to water	0.02

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mx: Mixed Alluvial Land-	70	Not rated		Not rated		Not rated	
My: Muck And Peat-----	100	Not rated		Not rated		Not rated	
OhA: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
OhB2: Othello-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Om: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Oo: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Os: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Ot: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Pd: Plummer-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.52	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Pk: Pocomoke-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.06	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pm: Pocomoke-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.06	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Po: Portsmouth-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.50	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Pr: Portsmouth-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.50	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
Sa: St Johns-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00
SfA: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
SfB2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
SfC2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
SfC3: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
SfD: Sassafras-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.03	Unlimited	
St: Steep Sandy Land---	100	Not rated		Not rated		Not rated	
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WdA: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Depth to hard bedrock Cutbanks cave Depth to water	1.00 1.00 0.07
WdB2: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Depth to hard bedrock Cutbanks cave Depth to water	1.00 1.00 0.07
WoA: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Depth to hard bedrock Cutbanks cave Depth to water	1.00 1.00 0.07
WoB2: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Depth to hard bedrock Cutbanks cave Depth to water	1.00 1.00 0.07

